

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072



IDENTITY

WARD'S DNA Stain

Note: Blank spaces are not permitted. If any item is not applicable, or no
information is available, the space must be marked to indicate that.

Section I

Manufacturer's Name

Ward's Natural Science

Emergency Telephone Number

800-424-9300 (CHEMTREC)

Address (Number, Street, City, State, and ZIP Code)

5100 W. Henrietta Rd.

Telephone Number for Information

716-359-2502

Date Prepared

9/1/97

P.O. Box 92912

Signature of Preparer (Kenneth G. Rainis)

Rochester, NY 14692-9012

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	%
Proprietary Cationic Dye	N/A	N/A	N/A	0.1
Distilled Water CAS 7732-18-5	N/A	N/A	N/A	99.9

LOW HAZARD

Section III - Physical/Chemical Characteristics

Boiling Point 212°C	Specific Gravity (H ₂ O = 1) 1 (Water)
Vapor Pressure (mm Hg) 14 (Water)	Melting Point 0°C
Vapor Density (AIR = 1) 0.7 (Water)	Evaporation rate (Butyl Acetate = <1)

Solubility in Water

Complete

Appearance and Odor

Dark blue liquid, No odor

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) N/A	Flammable Limits	LEL N/A	UEL N/A
----------------------------------	------------------	------------	------------

Extinguishing Media

Water spray, carbon dioxide, dry chemical powder or appropriate form.

Special Firefighting Procedures

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin.

Unusual Fire and Explosion Hazards

Emits fumes of carbon monoxide, carbon dioxide, nitrogen oxides, and sulfur oxides under fire conditions.

Section V - Reactivity Data

Stability	Unstable	Conditions to Avoid
	Stable	Protect from light and excessive heat.
	X	

Incompatibility (Materials to Avoid)

Strong Oxidizing Agents

Hazardous Decomposition or Byproducts

Thermal decomposition may produce carbon monoxide, carbon dioxide, and nitrogen oxides. Sulfur oxides.

Hazardous Polymerization	May Occur	Conditions to Avoid
	Will Not Occur	N/A
	X	

Section VI - Health Hazard Data

Route(s) of Entry:

Inhalation?

Skin?

Ingestion?

No

Yes

Yes

Health Hazards (Acute and Chronic)

Inhalation: Not an inhalation hazard in the form provided.

Carcinogenicity:

NTP?

IARC Monographs?

OSHA Regulated?

No

No

No

No

Signs and Symptoms of Exposure

May be irritating to eyes and skin. Exercise appropriate procedures to minimize potential hazards.

Medical Conditions

Generally aggravated by exposure. The toxicological properties of this material have not been thoroughly investigated.

Emergency and First Aid Procedure

Contact: Flush skin with copious amounts of water.

Ingestion: Give 1-2 glasses of water and contact physician.

Eyes: Flush with water for 15 minutes, lifting lower and upper eyelids. If irritation develops or persists, get medical attention.

Section VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled

Absorb with vermiculite, paper towelling, or other absorbent material. Place in suitable container.

Waste Disposal Method

Flush down sanitary sewer with copious amounts of water. Discharge may be subject to Federal, State and Local laws.

Precautions to be Taken in Handling and Storage

Storage Code-->Green (General) Store in a cool dry place. Wash thoroughly after handling. Keep container tightly closed when not in use.

Other Precautions:

For lab use only. Not for drug, food, or cosmetic use. Keep out of reach of children.

Section VIII - Control Measures

Respiratory Protection (Specify Type)

None required

Ventilation

Local Exhaust

Special

None

Not Needed

No

Mechanical (General)

Other

Not Needed

No

Protective Gloves

Rubber (butyl/nitrile) Gloves

Other Protective Clothing or Equipment

Chemical safety goggles, lab coat, apron, eye wash station in close proximity, within 15 sec. of work station.

Work/Hygienic Practices

Wear protective equipment. Wash hands with soap and water following the handling of this material.

Use under direct supervision of a qualified individual knowledgeable in all aspects of laboratory safety. This product is intended for lab use only.

Not for drug, food, or cosmetic use.

THE ABOVE INFORMATION IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OR MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM SUCH USE. USERS SHOULD MAKE THEIR OWN INVESTIGATION TO DETERMINE SUITABILITY OF THIS INFORMATION TO THEIR PARTICULAR PURPOSES

MATERIAL SAFETY DATA SHEET



193 So. 106th St.
Portland, ME 04102-0612
(800) 350-2202
337 Vennick Road
St. Catharines, Ontario L2R 3T5
815 First Lane
San Luis Obispo, CA 93405-5910

MSDS No.: NN0217
Effective Date: January 12, 2007

24 HOUR EMERGENCY ASSISTANCE

		CHEMTREC 800-424-9300 Day 585-226-6177	<table border="1"><tr><td>Health</td><td>1</td></tr><tr><td>Fire</td><td>0</td></tr><tr><td>Reactivity</td><td>0</td></tr></table>	Health	1	Fire	0	Reactivity	0
Health	1								
Fire	0								
Reactivity	0								
		NFPA HAZARD RATING MINIMAL 0 SLIGHT 1 MODERATE 2 SEVERE 3 SERIOUS 4	HMIS * REACTIVITY 0 SEVERE 4						

Product	Ward's Quikview DNA Stain
Chemical Synonyms	N/A
Formula	Mixture.
Unit Size	up to 3.785 Lt.
C.A.S. No.	Mixture.

SECTION II INGREDIENTS OF MIXTURES

Principal Component(s)	%	TLV Units
Proprietary ingredients		
CAUTION! MAY BE HARMFUL IF SWALLOWED OR		

ABSORBED THROUGH SKIN. MAY CAUSE IRRITATION TO SKIN AND EYES.

SECTION III PHYSICAL DATA

Melting Point (°F)	Freezes approx. 0°C (32°F)	Specific Gravity (H ₂ O = 1)	1.0
Boiling Point (°F)	Approx. 100°C (212°F)	Percent Volatile by Volume (%)	99.9%
Vapor Pressure (mm Hg)	14 (water)	Evaporation Rate (Water =1)	Less than 1.
Vapor Density (Air=1)	0.7 (water)		
Solubility in Water	Complete.		
Appearance & Odor	Purple liquid; no odor.		

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used)	Non-flammable.	Flammable Limits in Air % by Volume	N/A	Lower	Upper
Extinguisher Media	Use any media suitable for extinguishing supporting fire.				

SPECIAL FIREFIGHTING PROCEDURES

In fire conditions, wear a NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

UNUSUAL FIRE AND EXPLOSION HAZARDS

In fire conditions, water may evaporate from this solution, which may cause hazardous decomposition products to be produced as dust or fume.

D.O.T. NON-REGULATED.
Approved by U.S. Department of Labor "essentially similar" to form OSHA-20

SECTION V HEALTH HAZARD DATA

Threshold Limited Value
Not established for this mixture. ACGIH 2001.

Effects of Overexposure

May be harmful by ingestion or skin absorption. May cause skin and eye irritation. To the best of our knowledge, the chemical, physical and toxicological properties have not been thoroughly investigated. Exercise appropriate procedures to minimize potential hazards. Target organs: None known.

Emergency and First Aid Procedures
INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person. **EYES:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention. **SKIN:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention. **INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

SECTION VI REACTIVITY DATA			
Stability	Unstable		Conditions to Avoid
	Stable	X	
Incompatibility (Materials to Avoid)		Strong oxidizing agents.	

Hazardous Decomposition Products
Carbon monoxide and carbon dioxide, nitrogen oxides, sulfur oxides.

Hazardous Polymerization
Conditions to Avoid
May Occur Will Not Occur X
Not applicable.

SECTION VII SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled
Absorb with an inert dry material. Sweep up and place in a suitable container for disposal. Wash spill area with soap and water.

Waste Disposal Method
Discharge, treatment, or disposal may be subject to Federal, State or Local laws. These disposal guidelines are intended for the disposal of catalog-size quantities only.
Dispose of in an approved incinerator equipped with an afterburner and scrubber or contract with a licensed waste disposal agency.

SECTION VIII		SPECIAL PROTECTION			
Respiration Protection (Specify Type)	None should be needed in normal laboratory work in ventilation hood or wear a NIOSH/MSHA-approved respirator.				
Ventilation	Local Exhaust	None needed.	Special	Other	
	Mechanical (General)	None needed.			
Protective Gloves		Rubber.			Eye Protection

SECTION IX SPECIAL PRECAUTIONS

Precautions to be Taken in Handling & Storing
Store in a cool, dry place. Wash thoroughly after handling.
Keep container tightly closed when not in use.

Other Precautions
Read label on container before using. Do not wear contact lenses when working with chemicals. For laboratory use only. Not for drug, food or household use. Keep out of reach of children.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing.

Revision No. 3	Date 01/12/07	Approved James A. Bertsch	Chemical Safety Coordinator JAB
----------------	---------------	---------------------------	---------------------------------

The information contained herein is furnished without warranty of any kind. Employees should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. * Hazardous Materials Industrial Standards. Printed on recycled paper.

